

		Likelihood					
		Very Unlikely	Unlikely	Possible	Likely	Very Likely	
		1	2	3	4	5	
Severity	Negligible	1	1	2	3	4	5
	Minor	2	2	4	6	8	10
	Moderate	3	3	6	9	12	15
	Major	4	4	8	12	16	20
	Extreme	5	5	10	15	20	25

*Risk matrix used in risk assessment below
RR = residual risk*

Use guidance from World Health Organization and NHS to ensure the risk assessment is following the latest advice.

Coronavirus (COVID-19) risk assessment

Assessment date: 18/5/2020

Revision date: 13/08/2020 (See Revision Note)

Assessors: R Lucas/A Golds/S Bear

Review date: 14/7/2020

Version: 2

Hazard	Risk	Control measures	RR	Persons at risk
Exposure from others due to: 1) Living with someone with a confirmed case of COVID-19. 2) Have come into close contact (within 2 metres for 15 minutes or more) with a confirmed case of COVID-19. 3) Being advised by a public health agency that contact with a diagnosed case has occurred.	4 x 3 = 12	<ul style="list-style-type: none"> Any existing individual risk assessments (disability, young persons or new / expectant mothers) to be reviewed Maintain contact with line management and Human Resources (HR) and to follow company policy / guidance. To continue following ongoing government guidance Stay at home and only attend hospital in an emergency. Do not attend GP surgery and phone NHS line (111) if further advice is required Company to ensure extremely vulnerable persons (Solid organ transplant recipients; people with specific cancers: people with cancer who are undergoing active chemotherapy or radical radiotherapy for lung cancer; people with cancers of the blood or bone marrow such as leukemia, lymphoma or myeloma who are at any stage of treatment; people having immunotherapy or other continuing antibody treatments for cancer; people having other targeted cancer treatments which can affect the immune system, such as protein kinase inhibitors or PARP inhibitors; people who have 	4 x 1 = 4	Individual workers

		<p>had bone marrow or stem cell transplants in the last 6 months, or who are still taking immunosuppressive drugs; People with severe respiratory conditions including all cystic fibrosis, severe asthma and severe COPD; People with rare diseases and inborn errors of metabolism that significantly increase the risk of infections (such as SCID, homozygous sickle cell); People on immunosuppression therapies sufficient to significantly increase risk of infection; Women who are pregnant with significant heart disease, congenital or acquired.) are shielding themselves and following their specific medical advice issued to them no later than 29/3/2020</p> <ul style="list-style-type: none"> • Follow good NHS hygiene measures at all times • Do not approach delivery staff, allow packages to be left on the doorstep • Do not take any antibiotics as they do not work against viruses. 		
Suspected case whilst working on site	<p>4 x 4 = 16</p>	<p>If a worker develops a high temperature or a persistent cough while at work, they should:</p> <ol style="list-style-type: none"> 1) Return home immediately 2) Avoid touching anything 3) Cough or sneeze into a tissue and put it in a bin, or if they do not have tissues, cough and sneeze into the crook of their elbow. 4) They must then follow the guidance on self-isolation and not return to work until their period of self-isolation has been completed. 	<p>4 x 1 = 4</p>	Individual workers
General travel including foreign travel	<p>4 x 4 = 16</p>	<ul style="list-style-type: none"> • Where an individual has recently visited countries against Foreign Office advice, they should self / home isolate themselves as directed by the government • Please continue to follow any further national government advice provided • Where an occupational health (OH) service provider has been appointed, please seek additional advice or concerns through this service • All persons to limit their use of public transport. Where travel is essential, please use private single occupancy where possible and use a face mask • Only one person to travel in a company vehicle at any one time. This includes all site vehicles. 	<p>4 x 1 = 4</p>	Individual workers
Access / egress to site	<p>4 x 4 = 16</p>	<p>Where possible, please consider and implement the following practices:</p> <ul style="list-style-type: none"> • Stop all non-essential visitors • Introduce staggered start and finish times to reduce congestion and contact at all times • Monitor site access points to enable social distancing – you may need to change the number of access points, either increase to reduce congestion or decrease to enable monitoring 	<p>4 x 1 = 4</p>	Employees Contractors Visitors

		<ul style="list-style-type: none"> Remove or disable entry systems that require skin contact. Require all employees, visitors and contractors to wear company provided face shields when in designated areas. Require all employees, visitors and contractors to sanitise their hands before entering or leaving the site Allow plenty of space (two metres) between people waiting to enter site Regularly clean common contact surfaces in reception, office, access control and delivery areas e.g. scanners, screens, telephone handsets, desks, particularly during peak flow times Reduce the number of people in attendance at site inductions and consider holding them outdoors wherever possible Drivers should remain in their vehicles if the load will allow it and must wash or clean their hands before unloading goods and materials. 		
Inclement weather – cold temperature allows disease to survive	$ \begin{array}{r} 2 \\ \times \\ 2 \\ = \\ \mathbf{4} \end{array} $	<ul style="list-style-type: none"> All persons to dress appropriately for the weather Welfare facilities provided to shelter from the elements Maintain good hygiene measures at all times 	$ \begin{array}{r} 2 \\ \times \\ 1 \\ = \\ \mathbf{2} \end{array} $	Individual workers
Poor hygiene	$ \begin{array}{r} 4 \\ \times \\ 4 \\ = \\ \mathbf{16} \end{array} $	<ul style="list-style-type: none"> Wash your hands thoroughly and regularly. Use soap and water for at least 20 seconds. Use alcohol-based hand sanitiser if soap and water is not available and hand washing technique to be adopted as directed by NHS Avoid touching your face/eyes/nose/mouth with unwashed hands and cover your cough or sneeze with a tissue then throw it in the bin. Provide additional hand washing facilities to the usual welfare facilities if a large spread out site or significant numbers of personnel on site Regularly clean the hand washing facilities and check soap and sanitiser levels Provide suitable and sufficient rubbish bins for hand towels with regular removal and disposal. Sites will need extra supplies of soap, hand sanitiser and paper towels and these should be securely stored. Restrict the number of people using toilet facilities at any one time. Wash hands before and after using the facilities. Enhance the cleaning regimes for toilet facilities particularly door handles, locks and the toilet flush. Portable toilets should be avoided wherever possible, but where in use these should be cleaned and emptied more frequently 	$ \begin{array}{r} 4 \\ \times \\ 1 \\ = \\ \mathbf{4} \end{array} $	Individual workers
Canteen - exposure from large numbers of persons	$ \begin{array}{r} 4 \\ \times \\ 4 \\ = \\ \mathbf{16} \end{array} $	<ol style="list-style-type: none"> Dedicated eating areas should be identified on site to reduce food waste and contamination Break times should be staggered to reduce 	$ \begin{array}{r} 4 \\ \times \\ 1 \\ = \\ \mathbf{4} \end{array} $	Individual workers

	= 16	<p>congestion and contact at all times</p> <ol style="list-style-type: none"> 3) Hand cleaning facilities or hand sanitiser should be available at the entrance of any room where people eat and should be used by workers when entering and leaving the area 4) The workforce should be asked to bring pre-prepared meals and refillable drinking bottles from home where possible 5) Workers should sit 2 metres apart from each other whilst eating and avoid all contact 6) Where catering is provided on site, it should provide pre-prepared and wrapped food only - Payments should be taken by contactless card wherever possible and Crockery, eating utensils, cups etc. should not be used 7) Drinking water should be provided with enhanced cleaning measures of the tap mechanism introduced 8) Tables should be cleaned between each use 9) All rubbish should be put straight in the bin and not left for someone else to clear up 10) All areas used for eating must be thoroughly cleaned at the end of each break and shift, including chairs, door handles, vending machines and payment devices. 	= 4	
Use of Changing facilities, showers and drying rooms	4 x 4 = 16	<ol style="list-style-type: none"> 1) Introduce staggered start and finish times to reduce congestion and contact at all times 2) Introduce enhanced cleaning of all facilities throughout the day and at the end of each day 3) Consider increasing the number or size of facilities available on site if possible 4) Based on the size of each facility, determine how many people can use it at any one time to maintain a distance of two metres 5) Provide suitable and sufficient rubbish bins in these areas with regular removal and disposal. 	4 x 1 = 4	Individual workers

Revision Note:

Access/Egress to site:

- 5) **Require all employees, visitors and contractors to wear company provided face shields when in designated areas.**
- 6) Require all **employees, visitors and contractors to sanitise** their hands before entering or leaving the site